

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE Unded States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. 800, 1450 Alexaddrd, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/710,868	08/09/2004	Srikanth Sampath	SYB/0097.02	4867	
31779 759 JOHN A. SMART			EXAMINER		
708 BLOSSOM HILL RD., #201		•	MORRISO	MORRISON, JAY A	
LOS GATOS, CA	A 95032-3503		ART UNIT PAPER NUMBER 2168		
SHORTENED STATUTORY F	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MONT	242	04/06/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

,	Application No.	Applicant(s)			
	10/710,868	SAMPATH ET AL.			
Office Action Summary	Examiner	Art Unit			
·	Jay A. Morrison	2168			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the o	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be ting 17 apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status	•				
1) ☐ Responsive to communication(s) filed on <u>02 Ja</u> 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pr				
Disposition of Claims					
4) Claim(s) 1-40 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav 5) Claim(s) is/are allowed. 6) Claim(s) 1-40 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on 09 August 2004 is/are:	vn from consideration. r election requirement. r.	to by the Examiner.			
Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	ee 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail [5) Notice of Informal 6) Other:	Date			

Application/Control Number: 10/710,868 Page 2

Art Unit: 2168

DETAILED ACTION

Remarks

1. Claims 1-40 are pending.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lomet (Patent Number 6,490,594) in view of Lahey et al. ('Lahey' hereinafter) (Patent Number 7,028,303) and further in view of Klotz et al. ('Klotz' hereinafter) (Publication

Art Unit: 2168

Number 2004/0015762) and further in view of <u>Schmidt et al.</u> ('<u>Schmidt'</u> hereinafter) ('Alleviating Priority Inversion and Non-determinism in Real-time CORBA ORB Core Architectures", 4th IEEE Real-time Technology and Applications Symposium, Denver, CO, June 3-5, 1998).

As per claim 1, Lomet teaches

In a database system, a ... method for performing recovery operations by ..., the method comprising: (see abstract and background)

to perform recovery operations (recovery, column 10, lines 51-60)

Lomet does not explicitly indicate "(a) spawning an initial recovery thread ... the initial recovery thread ... (c) spawning a subsequent recovery thread ... with the subsequent recovery thread ... as long as I/O performance does not degrade beyond a preselected percentage, to repeat steps (c) and (d) for spawning a desired number of additional recovery threads".

However, <u>Lahey</u> discloses "(a) spawning an initial recovery thread … the initial recovery thread … (c) spawning a subsequent recovery thread … with the subsequent recovery thread … as long as I/O performance does not degrade beyond a preselected percentage, to repeat steps (c) and (d) for spawning a desired number of additional recovery threads" (spawn threads, column 6, lines 18-34).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u> and <u>Lahey</u> because using the steps of "(a) spawning an initial recovery thread ... (c) spawning a

Art Unit: 2168

subsequent recovery thread ... with the subsequent recovery thread ... as long as I/O performance does not degrade beyond a preselected percentage, to repeat steps (c) and (d) for spawning a desired number of additional recovery threads" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

<u>Lomet</u> does not explicitly indicate "(b) measuring I/O (input/output) performance .. (d) measuring I/O performance".

However, Klotz discloses "(b) measuring I/O (input/output) performance .. (d) measuring I/O performance" (performance statistics, paragraph [0047]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "(b) measuring I/O (input/output) performance .. (d) measuring I/O performance" would have given those skilled in the art the tools to improve the invention by determine when heavy data loads are placing I/O stress on the system. This gives the user the advantage of being able to take measures to avoid stresses on the system.

Neither Lomet, Lahey, nor Klotz disclose "self-tuning ... dynamically adapting how many recovery threads are spawned during recovery", "self-tuning how many threads are spawned by continuing".

However, <u>Schmidt</u> discloses "self-tuning ... dynamically adapting how many recovery threads are spawned during recovery", "self-tuning how many threads are

spawned by continuing" (dynamically spawn threads, Section 2.1.2, "MiniCOOL" bulletpoint).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet, Lahey, Klotz, and Schmidt because using the steps of "self-tuning ... dynamically adapting how many recovery threads are spawned during recovery", "self-tuning how many threads are spawned by continuing" would have given those skilled in the art the tools to improve the invention by being able to support applications with stringent real-time requirements. This gives the user the advantage of being able to have better response time.

As per claim 2,

Lomet does not explicitly indicate "I/O performance is measured over a given period of time."

However, Klotz discloses "I/O performance is measured over a given period of time" (paragraph [0047]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet, Lahey, and Klotz because using the steps of "I/O performance is measured over a given period of time" would have given those skilled in the art the tools to improve the invention by determine when heavy data loads are placing I/O stress on the system. This gives the user the advantage of being able to take measures to avoid stresses on the system.

Art Unit: 2168

As per claim 3,

Lomet does not explicitly indicate "the given period of time is about 1 second."

However, Klotz discloses "the given period of time is about 1 second" (paragraph

[0047]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "the given period of time is about 1 second" would have given those skilled in the art the tools to improve the invention by determine when heavy data loads are placing I/O stress on the system. This gives the user the advantage of being able to take measures to avoid stresses on the system.

As per claim 4,

Lomet does not explicitly indicate "steps (c) and (d) are repeated for spawning additional recovery threads as long as I/O performance degrades by no more than about 15 percent".

However, <u>Lahey</u> discloses "steps (c) and (d) are repeated for spawning additional recovery threads as long as I/O performance degrades by no more than about 15 percent" (column 6, lines 18-34).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet, Lahey, and Klotz because using the steps of "steps (c) and (d) are repeated for spawning additional recovery threads as long as I/O performance degrades by no more than about 15 percent" would have given those

Art Unit: 2168

skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

As per claim 5,

Lomet does not explicitly indicate "steps (c) and (d) are repeated such that only a preconfigured maximum number of recovery threads may be generated."

However, <u>Lahey</u> discloses "steps (c) and (d) are repeated such that only a preconfigured maximum number of recovery threads may be generated" (column 6, lines 18-34).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "steps (c) and (d) are repeated such that only a preconfigured maximum number of recovery threads may be generated" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

As per claim 6, Lomet teaches

a count of databases that can be opened (column 10, lines 25-38).

Lomet does not explicitly indicate "the maximum number of recovery threads is limited to not exceed".

However, <u>Lahey</u> discloses "the maximum number of recovery threads is limited to not exceed" (column 6, lines 18-34).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "the maximum number of recovery threads is limited to not exceed" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

As per claim 7, Lomet teaches

one less than a count of database engines online (column 10, lines 25-38).

<u>Lomet</u> does not explicitly indicate "the maximum number of recovery threads is limited to not exceed".

However, <u>Lahey</u> discloses "the maximum number of recovery threads is limited to not exceed" (column 6, lines 18-34).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "the maximum number of recovery threads is limited to not exceed" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

Art Unit: 2168

As per claim 8,

Lomet does not explicitly indicate "step (e) further comprises: when I/O performance measured for a just-spawned recovery thread degrades beyond the preselected percentage, putting the just-spawned recovery thread to sleep".

However, <u>Lahey</u> discloses "step (e) further comprises: when I/O performance measured for a just-spawned recovery thread degrades beyond the preselected percentage, putting the just-spawned recovery thread to sleep" (column 6, lines 1-7).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet, Lahey, and Klotz because using the steps of "step (e) further comprises: when I/O performance measured for a just-spawned recovery thread degrades beyond the preselected percentage, putting the just-spawned recovery thread to sleep" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

As per claim 9,

<u>Lomet</u> does not explicitly indicate "after another recovery thread finishes, awaking the thread that has been put to sleep".

However, <u>Lahey</u> discloses "after another recovery thread finishes, awaking the thread that has been put to sleep" (column 6, lines 8-18).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of

Art Unit: 2168

"after another recovery thread finishes, awaking the thread that has been put to sleep" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

As per claim 10, Lomet teaches

steps (c) and (d) are repeated up to a configured maximum number of databases that can be recovered concurrently (column 10, lines 25-38).

As per claim 11, Lomet teaches

recovers a single database at a time (column 16, lines 23-41).

Lomet does not explicitly indicate "each recovery thread itself".

However, Lahey discloses "each recovery thread itself" (column 6, lines 35-45).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "each recovery thread itself" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

As per claim 12,

Lomet does not explicitly indicate "a user of the system is able to specify a particular number of concurrent recovery threads".

Art Unit: 2168

However, <u>Lahey</u> discloses "a user of the system is able to specify a particular number of concurrent recovery threads" (column 5, lines 4-20).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "a user of the system is able to specify a particular number of concurrent recovery threads" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

and wherein the system generates an advisory if the particular number of concurrent recovery threads specified can be changed to achieve better I/O performance. ('if' denotes an optionally recited limitation and optionally recited limitations are not guaranteed to take place and are therefore not required to be taught, see MPEP § 2106 Section II(C))

As per claim 13, Lomet teaches

A computer-readable medium having processor-executable instructions for performing the method of claim 1. (column 9, lines 32-43)

As per claim 14, Lomet teaches

downloading a set of processor-executable instructions for performing the method of claim 1. (column 9, lines 32-43)

Art Unit: 2168

As per claim 15, Lomet teaches

A database system performing recovery operations by ..., the system comprising: (see abstract and background)

a database system having at least one database that may require recovery; (database, column 12, lines 18-38)

Lomet does not explicitly indicate "an initial recovery thread that is spawned to perform recovery operations ... and a plurality of additional recovery threads that are spawned to perform recovery operations ... with the initial recovery thread ... with each additional recovery thread that is spawned, and wherein the system ceases spawning additional recovery threads."

However, <u>Lahey</u> discloses "an initial recovery thread that is spawned to perform recovery operations ... and a plurality of additional recovery threads that are spawned to perform recovery operations ... with the initial recovery thread ... with each additional recovery thread that is spawned, and wherein the system ceases spawning additional recovery threads" (spawn threads, column 6, lines 18-34).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet and Lahey because using the steps of "an initial recovery thread that is spawned to perform recovery operations ... and a plurality of additional recovery threads that are spawned to perform recovery operations ... with the initial recovery thread ... with each additional recovery thread that is spawned, and wherein the system ceases spawning additional recovery threads" would have given those skilled in the art the tools to improve the invention by managing the workflow in a

Art Unit: 2168

computing system. This gives the user the advantage of having more efficient use of limited resources.

Lomet does not explicitly indicate "wherein the system measures I/O (input/output) performance ... wherein the system ... based on I/O (input/output) performance ... when I/O performance degrades beyond a desired amount."

However, <u>Klotz</u> discloses "wherein the system measures I/O (input/output) performance ... wherein the system ... based on I/O (input/output) performance ... when I/O performance degrades beyond a desired amount" (performance statistics, paragraph [0047]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet, Lahey, and Klotz because using the steps of "wherein the system measures I/O (input/output) performance ... wherein the system ... based on I/O (input/output) performance ... when I/O performance degrades beyond a desired amount" would have given those skilled in the art the tools to improve the invention by determine when heavy data loads are placing I/O stress on the system. This gives the user the advantage of being able to take measures to avoid stresses on the system.

Neither Lomet, Lahey, nor Klotz disclose "dynamically adapting how many recovery threads are spawned during recovery", "dynamically adjusts how many recovery threads are spawned".

Art Unit: 2168

However, <u>Schmidt</u> discloses "dynamically adapting how many recovery threads are spawned during recovery", "dynamically adjusts how many recovery threads are

spawned" (dynamically spawn threads, Section 2.1.2, "MiniCOOL" bullet-point).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, <u>Klotz</u>, and <u>Schmidt</u> because using the steps of "dynamically adapting how many recovery threads are spawned during recovery", "dynamically adjusts how many recovery threads are spawned" would have given those skilled in the art the tools to improve the invention by being able to support applications with stringent real-time requirements. This gives the user the advantage of being able to have better response time.

As per claims 16-26,

These claims are rejected on grounds corresponding to the arguments given above for rejected claims 2-12 and are similarly rejected.

As per claim 27, Lomet teaches

In a database system, an ... for performing database recovery in a manner that ... based on current performance, the method comprising: (see abstract and background)

<u>Lomet</u> does not explicitly indicate "spawning a thread to perform database recovery ... associated with that thread; and during recovery, ... by performing substeps of: attempting to spawn additional threads to perform database recovery and ...

associated with each additional thread spawned and if the performance for a given thread degrades beyond a desired amount, freezing execution of the given thread and ceasing any attempt to spawn additional threads for database recovery."

However, <u>Lahey</u> discloses "spawning a thread to perform database recovery ... associated with that thread; and during recovery, ... by performing substeps of: attempting to spawn additional threads to perform database recovery and ... associated with each additional thread spawned and if the performance for a given thread degrades beyond a desired amount, freezing execution of the given thread and ceasing any attempt to spawn additional threads for database recovery" (spawn threads, column 6, lines 18-34; note: 'if' denotes an optionally recited limitation and optionally recited limitations are not guaranteed to take place and are therefore not required to be taught, see MPEP § 2106 Section II(C)).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet and Lahey because using the steps of "spawning a thread to perform database recovery ... associated with that thread; and during recovery, ... by performing substeps of: attempting to spawn additional threads to perform database recovery and ... associated with each additional thread spawned and if the performance for a given thread degrades beyond a desired amount, freezing execution of the given thread and ceasing any attempt to spawn additional threads for database recovery" would have given those skilled in the art the tools to improve the invention by managing the workflow in a computing system. This gives the user the advantage of having more efficient use of limited resources.

<u>Lomet</u> does not explicitly indicate "and recording statistics about performance".

However, <u>Klotz</u> discloses "and recording statistics about performance" (performance statistics, paragraph [0047]).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine <u>Lomet</u>, <u>Lahey</u>, and <u>Klotz</u> because using the steps of "and recording statistics about performance" would have given those skilled in the art the tools to improve the invention by determine when heavy data loads are placing I/O stress on the system. This gives the user the advantage of being able to take measures to avoid stresses on the system.

Neither Lomet, Lahey, nor Klotz disclose "auto-tuning method ... dynamically adjusts how many recovery threads are spawned", "dynamically adjusting how many threads are spawned".

However, <u>Schmidt</u> discloses "auto-tuning method ... dynamically adjusts how many recovery threads are spawned", "dynamically adjusting how many threads are spawned" (dynamically spawn threads, Section 2.1.2, "MiniCOOL" bullet-point).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine Lomet, Lahey, Klotz, and Schmidt because using the steps of "auto-tuning method ... dynamically adjusts how many recovery threads are spawned", "dynamically dynamically adjusting how many threads are spawned" would have given those skilled in the art the tools to improve the invention by being able to support applications with stringent real-time requirements. This gives the user the advantage of being able to have better response time.

Art Unit: 2168

As per claims 28-38

These claims are rejected on grounds corresponding to the arguments given above for rejected claims 2-12 are similarly rejected.

As per claim 39, Lomet teaches

A computer-readable medium having processor-executable instructions for performing the method of claim 27. (column 9, lines 32-43)

As per claim 40, Lomet teaches

downloading a set of processor-executable instructions for performing the method of claim 27. (column 9, lines 32-43)

Response to Arguments

4. Applicant's arguments with respect to claims 1-40 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/710,868 Page 18

Art Unit: 2168

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

The prior art made of record, listed on form PTO-892, and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jay A. Morrison whose telephone number is (571) 272-7112. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Vo can be reached on (571) 272-3642. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2168

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TIM VO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100

Jay Morrison TC2100 Tim Vo TC2100

DL